

Web Images Groups News Froogle Local New! [more »](#)

analytical jacobian equations motion

Search Advanced Search Preferences

## Web

Results 1 - 10 of about 85,100 for analytical jacobian equations motion. (0.25 seconds)

### Computational Fluid Dynamics, Vol 2

... Subsequently, the transformation of the **equations** of fluid **motion** from physical

... of the **equations** as well as the derivation of the **Jacobian** matrices. ...

[www.eesbooks.com/cfd402.html](http://www.eesbooks.com/cfd402.html) - 48k - Apr 19, 2005 - [Cached](#) - [Similar pages](#)

### Computational Fluid Dynamics, Vol 2

... Two-Equation Model, Analytical Solutions of the Boundary-Layer Equations; ...

Navier-Stokes Equations, Linearization, Inviscid and Viscous Jacobian ...

[www.eesbooks.com/fefm.html](http://www.eesbooks.com/fefm.html) - 33k - [Cached](#) - [Similar pages](#)

### Assignment 3

... C. Verify that the **Jacobian equations** in part B are correct: Select an arm

... Show your graphical **analysis** and the numerical values for the **Jacobian** at ...

[www.maelabs.ucsd.edu/mae150/mae150\\_assignments/Assignment3/Assignment3.htm](http://www.maelabs.ucsd.edu/mae150/mae150_assignments/Assignment3/Assignment3.htm) - 30k - [Cached](#) - [Similar pages](#)

### Math 1-4 Topical Links - Carroll College NSF Project InterMath ...

... **Equations of Motion**. Projections from 3 to 2 Dimensions. Vectors. Mappings

... **Jacobian** of a Transformation. Monte Carlo Method and Error Analysis ...

[web.carroll.edu/mparker/workshop/math\\_1-4\\_links.html](http://web.carroll.edu/mparker/workshop/math_1-4_links.html) - 22k - [Cached](#) - [Similar pages](#)

### [PDF] AUTOMATED KINEMATIC EQUATIONS GENERATION AND CONSTRAINED MOTION ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the kinematics and **motion equations** to accommodate changes in kinematic ...

equation's **Jacobian** expression on-line, our system automatically ...

[www.ornl.gov/~webworks/cppr/y2001/pres/120031.pdf](http://www.ornl.gov/~webworks/cppr/y2001/pres/120031.pdf) - [Similar pages](#)

### Maths - Calculus - Martin Baker

... boundary solutions, in both cases we will cover **analytical** and numeric methods.

... the **equations of motion** tend to be expressed in terms of the second ...

[www.euclideanspace.com/mathematics/differential/](http://www.euclideanspace.com/mathematics/differential/) - 16k - [Cached](#) - [Similar pages](#)

### Home power lines

... 4.1.3 Equations of Motion 128. 4.2 Notable Properties of Dynamic Model\* 129

... The difference between geometric **Jacobian** and **analytical Jacobian** is ...

[www.geocities.com/dsa\\_project/special/books/64.html](http://www.geocities.com/dsa_project/special/books/64.html) - 145k - [Cached](#) - [Similar pages](#)

### Relevant Course Work

... Hamilton, and Lagrange **equations**) for **analysis** of dynamics problems. ...

Equation of relative motion, orbital elements and coordinate systems, ...

[www.ssl.umd.edu/personnel/people/personal\\_pages/JDG/homepage/12relevant\\_course\\_work.htm](http://www.ssl.umd.edu/personnel/people/personal_pages/JDG/homepage/12relevant_course_work.htm) - 11k - [Cached](#) - [Similar pages](#)

### IMS Learning Resources Pvt. Ltd :: Student's Mentor, Motivator & Guide

... Complex Analysis : Analytic function, Cauchy-Riemann **equations**, ... **Equation** of continuity, Euler's **equation of motion** for inviscid flow, stream-lines, ...

[www.imsindia.com/upsc/civil\\_service/\\_main\\_optional\\_maths.htm](http://www.imsindia.com/upsc/civil_service/_main_optional_maths.htm) - 31k - [Cached](#) - [Similar pages](#)

**INTRODUCTION TO CLASSICAL INTEGRABLE SYSTEMS**

- ... with a quest for exact solutions to Newton's **equations of motion**. ... It is
- a beautiful result that this point evolves linearly on the **Jacobian**. ...
- www.lpthe.jussieu.fr/ICIS/intro.html - 13k - Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now](#).

**Find:**  emails -  files -  chats -  web history -  media -  PDF

analytical jacobian equations moti

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
[Search: The ACM Digital Library](#) [The Guide](#)
[analytic jacobian molecular dynamics](#)


THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used [analytic jacobian molecular dynamics](#)

Found 8,206 of 153,034

Sort results by

relevance

 [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

expanded form

 [Search Tips](#)
[Try this search in The ACM Guide](#)
 [Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

## [1 Recipes for adjoint code construction](#)

Ralf Giering, Thomas Kaminski

December 1998 **ACM Transactions on Mathematical Software (TOMS)**, Volume 24  
Issue 4Full text available: [pdf\(301.79 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Adjoint models are increasingly being developed for use in meteorology and oceanography. Typical applications are data assimilation, model tuning, sensitivity analysis, and determination of singular vectors. The adjoint model computes the gradient of a cost function with respect to control variables. Generation of adjoint code may be seen as the special case of differentiation of algorithms in reverse mode, where the dependent function is a scalar. The described method for adjoint code gene ...

**Keywords:** adjoint model, adjoint operator, automatic differentiation, computational differentiation, data assimilation, differentiation of algorithms, implicit functions, inverse modeling, optimization, reverse mode

## [2 Demonstrating the scalability of a molecular dynamics application on a Petaflop computer](#)

George S. Almasi, Călin Cașcaval, José G. Castaños, Monty Denneau, Wilm Donath, Maria Eleftheriou, Mark Giampapa, Howard Ho, Derek Lieber, José E. Moreira, Dennis Newns, Marc Snir, Henry S. Warren

June 2001 **Proceedings of the 15th international conference on Supercomputing**Full text available: [pdf\(392.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The IBM Blue Gene project has endeavored into the development of a cellular architecture computer with millions of concurrent threads of execution. One of the major challenges of this project is demonstrating that applications can successfully exploit this massive amount of parallelism. Starting from the sequential version of a well known molecular dynamics code, we developed a new application that exploits the multiple levels of parallelism in the Blue Gene cellular architecture. We perform ...

**Keywords:** Blue Gene, cellular architecture, massively parallel computing, molecular dynamics, performance evaluation

3 Symbolic-numeric stability investigations of Jameson's schemes for the thin-layer Navier-Stokes equations



V. G. Ganzha, E. V. Vorozhtsov, J. Boers, J. A. van Hulzen

August 1994 **Proceedings of the international symposium on Symbolic and algebraic computation**

Full text available: [pdf\(790.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The Navier-Stokes equations governing the three-dimensional flows of viscous, compressible, heat-conducting gas and augmented by turbulence modeling present the most realistic model for gas flows around the elements of aircraft configurations. We study the stability of one of the Jameson's schemes of 1981, which approximates the set of five Navier-Stokes equations completed by the turbulence model of Baldwin and Lomax. The analysis procedure implements the check-up of the necessary von Neum ...

4 PELLPACK: a problem-solving environment for PDE-based applications on multicomputer platforms



E. N. Houstis, J. R. Rice, S. Weerawarana, A. C. Catlin, P. Papachiou, K.-Y. Wang, M. Gaitatzes

March 1998 **ACM Transactions on Mathematical Software (TOMS)**, Volume 24 Issue 1

Full text available: [pdf\(26.30 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The article presents the software architecture and implementation of the problem-solving environment (PSE) PELLPACK for modeling physical objects described by partial differential equations (PDEs). The scope of this PSE is broad, as PELLPACK incorporates many PDE solving systems, and some of these, in turn, include several specific PDE solving methods. Its coverage for 1D, 2D. and 3D elliptic or parabolic problems is quite broad, and it handles some hyperbolic problems. Since a PSE should p ...

**Keywords:** PDE language, execution models, knowledge bases, libraries, parallel reuse methodologies, problem-solving environments, programming-in-the-large, software bus

5 Session P8: nature visualization: Visualizing dynamic molecular conformations



Johannes Schmidt-Ehrenberg, Daniel Baum, Hans Christian Hege

October 2002 **Proceedings of the conference on Visualization '02**

Full text available: [pdf\(2.72 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The bioactivity of a molecule strongly depends on its metastable conformational shapes and the transitions between these. Therefore, conformation analysis and visualization is a basic prerequisite for the understanding of biochemical processes. We present techniques for visual analysis of metastable molecular conformations. Core of these are flexibly applicable methods for alignment of molecular geometries, as well as methods for depicting shape and 'fuzziness' of metastable conformations. All an ...

**Keywords:** drug design, molecular conformation analysis, molecular modeling, uncertainty visualization

6 [An analytic approach to significance assessment in local sequence alignment with gaps](#) 

R. Bundschuh

April 2000 **Proceedings of the fourth annual international conference on Computational molecular biology**

Full text available:  pdf(974.15 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

A detailed study of the Smith-Waterman alignment algorithm is performed in order to find an analytical approach to the problem of assessing the statistical significance of local alignments with gaps. The significance is shown to be given in terms of an eigenvalue equation which captures the dynamics of the much simpler global alignment algorithm. This eigenvalue equation is then explicitly solved for a simple scoring system and the resulting significance estimations are verified by a comparis ...

**Keywords:** Gumbel distribution, sequence alignment, statistical significance

7 [Dynamic NURBS with geometric constraints for interactive sculpting](#) 

Demetri Terzopoulos, Hong Qin

April 1994 **ACM Transactions on Graphics (TOG)**, Volume 13 Issue 2

Full text available:  pdf(8.87 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This article develops a dynamic generalization of the nonuniform rational B-spline (NURBS) model. NURBS have become a defacto standard in commercial modeling systems because of their power to represent free-form shapes as well as common analytic shapes. To date, however, they have been viewed as purely geometric primitives that require the user to manually adjust multiple control points and associated weights in order to design shapes. Dynamic NURBS, or D-NURBS, are physics-based models tha ...

**Keywords:** CAGD, NURBS, constraints, cross-sectional shape design, deformable models, dynamics, finite elements, free-form deformation, optimal curve and surface fitting, shape metamorphosis, solid rounding, trimming

8 [On design principles for a molecular computer](#) 

Michael Conrad

May 1985 **Communications of the ACM**, Volume 28 Issue 5

Full text available:  pdf(2.50 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

If the unique information-processing capabilities of protein enzymes could be adapted for computers, then evolvable, more efficient systems for such applications as pattern recognition and process control are in principle possible.

9 [SIGSAM BULLETIN: Computer algebra in the life sciences](#) 

Michael P. Barnett

December 2002 **ACM SIGSAM Bulletin**, Volume 36 Issue 4

Full text available:  pdf(240.15 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

This note (1) provides references to recent work that applies computer algebra (CA) to the life sciences, (2) cites literature that explains the biological background of each application, (3) states the mathematical methods that are used, (4)

mentions the benefits of CA, and (5) suggests some topics for future work.

#### **10 Efficient synthesis of physically valid human motion**

Anthony C. Fang, Nancy S. Pollard

July 2003 **ACM Transactions on Graphics (TOG)**, Volume 22 Issue 3

Full text available:  pdf(1.83 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Optimization is a promising way to generate new animations from a minimal amount of input data. Physically based optimization techniques, however, are difficult to scale to complex animated characters, in part because evaluating and differentiating physical quantities becomes prohibitively slow. Traditional approaches often require optimizing or constraining parameters involving joint torques; obtaining first derivatives for these parameters is generally an  $O(D^2)$  process ...

**Keywords:** animation, physically based animation

#### **11 An algorithm with linear complexity for interactive, physically-based modeling of large proteins**

Mark C. Surles

July 1992 **ACM SIGGRAPH Computer Graphics , Proceedings of the 19th annual conference on Computer graphics and interactive techniques**, Volume 26 Issue 2

Full text available:  pdf(1.76 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Lagrange multiplier method, constrain systems, molecular modeling

#### **12 Accurate performance evaluation, modelling and prediction of a message passing simulation code based on middleware**

Michela Taufer, Thomas Stricker

November 1998 **Proceedings of the 1998 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available:  html(85.30 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

In distributed and vectorized computing there is a large number of highly different supercomputing platforms an application could run on. Therefore most traditional parallel codes are ill equipped to collect data about their resource usage or their behavior at run time and the corresponding data are rarely published and few scientists attack the planning of an application and its platform systematically. As an improvement over the current state of the art, we propose an integrated approach to pe ...

**Keywords:** PVM, application design methods, computer architecture, molecular dynamics, parallelization tools and middleware, performance monitoring, scientific application codes

#### **13 Analysis of an efficient algorithm for the hard-sphere problem**

Alan T. Krantz

July 1996 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 6 Issue 3

Full text available:  pdf(481.83 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Many similar algorithms for performing simulations of hard-sphere have been presented. Among these algorithms are those designed by Rapaport (RAP), Lubachevsky (LUB), Krantz (HAD), and Marin (HYBRID). These algorithms exhibit a similar design in that they each use an  $O(\log n)$  event queue which becomes the overwhelming bottleneck when simulating large systems. In this paper the design of HAD is presented and contrasted to RAP, LUB and HYBRID. Next, both an em ...

**Keywords:** algorithm, discrete simulation, hard-sphere, manybody problem

#### **14 Algorithmic issues in modeling motion**

Pankaj K. Agarwal, Leonidas J. Guibas, Herbert Edelsbrunner, Jeff Erickson, Michael Isard, Sariel Har-Peled, John Hershberger, Christian Jensen, Lydia Kavraki, Patrice Koehl, Ming Lin, Dinesh Manocha, Dimitris Metaxas, Brian Mirtich, David Mount, S. Muthukrishnan, Dinesh Pai, Elisha Sacks, Jack Snoeyink, Subhash Suri, Ouri Wolfson

December 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 4

Full text available:  pdf(205.25 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This article is a survey of research areas in which motion plays a pivotal role. The aim of the article is to review current approaches to modeling motion together with related data structures and algorithms, and to summarize the challenges that lie ahead in producing a more unified theory of motion representation that would be useful across several disciplines.

**Keywords:** Computational geometry, computer vision, mobile networks, modeling, molecular biology, motion modeling, physical simulation, robotics, spatio-temporal databases

#### **15 Dynamic load balancing for the simulation of granular materials**

R. Knecht, G. A. Kohring

July 1995 **Proceedings of the 9th international conference on Supercomputing**

Full text available:  pdf(562.78 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

#### **16 TNPACK—a truncated Newton minimization package for large-scale problems:**

**II. Implementation examples**

Tamar Schlick, Aaron Fogelson

March 1992 **ACM Transactions on Mathematical Software (TOMS)**, Volume 18 Issue 1

Full text available:  pdf(2.50 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** nonlinear optimization, sparse matrices, truncated Newton methods

#### **17 Dynamic smooth subdivision surfaces for data visualization**

Chhandomay Mandal, Hong Qin, Baba C. Vemuri

October 1997 **Proceedings of the 8th conference on Visualization '97**

Full text available:  pdf(1.13 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

 Publisher Site

**Keywords:** dynamics, finite elements, interactive techniques, subdivision surfaces, visualization

#### **18 Fast methods for simulation of biomolecule electrostatics**

Shihhsien S. Kuo, Michael D. Altman, Jaydeep P. Bardhan, Bruce Tidor, Jacob K. White  
November 2002 **Proceedings of the 2002 IEEE/ACM international conference on Computer-aided design**

Full text available: [pdf\(338.15 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Computer simulation is an important tool for improving our understanding of biomolecule electrostatics, in part to aid in drug design. However, the numerical techniques used in these simulation tools do not exploit fast solver approaches widely used in analyzing integrated circuit interconnects. In this paper we describe one popular formulation used to analyze biomolecule electrostatics, present an integral formulation of the problem, and apply the precorrected-FFT method to accelerate the solut ...

#### **19 Dynamics: Interactive physically based solid dynamics**

M. Hauth, J. Groß, W. Straßer  
July 2003 **Proceedings of the 2003 ACM SIGGRAPH/Eurographics Symposium on Computer animation**

Full text available: [pdf\(5.02 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

The interactive simulation of deformable solids has become a major working area in Computer Graphics. We present a sophisticated material law, better suited for dynamical computations than the standard approaches. As an important example, it is employed to reproduce measured material data from biological soft tissue. We embed it into a state-of-the-art finite element setting employing an adaptive basis. For time integration the use of an explicit stabilized Runge-Kutta method is proposed.

#### **20 Scalable atomistic simulation algorithms for materials research**

Aiichiro Nakano, Rajiv K. Kalia, Priya Vashishta, Timothy J. Campbell, Shuji Ogata, Fuyuki Shimojo, Subhash Saini  
November 2001 **Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available: [pdf\(1.32 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A suite of scalable atomistic simulation programs has been developed for materials research based on space-time multiresolution algorithms. Design and analysis of parallel algorithms are presented for molecular dynamics (MD) simulations and quantum-mechanical (QM) calculations based on the density functional theory. Performance tests have been carried out on 1,088-processor Cray T3E and 1,280-processor IBM SP3 computers. The linear-scaling algorithms have enabled 6.44-billion-atom MD and 111,000 ...

**Keywords:** data compression, density functional theory, load balancing, molecular dynamics, parallel computing, quantum mechanics, variable-charge molecular dynamics

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)